KALA

FREEHAND





Perfect for cutting:

Semi-rigid materials

- Foam centered board up to 13mm thick
- Extruded PVC up to 13mm thick
- · Extruded Polypropylene,
- Carton

Soft materials

- PVC Banner
- Thin paper
- · Polyester films
- Fabrics

HIGH PRECISION HORIZONTAL CUTTING TOOLS

- The new QuikSwap tool heads system enables to change cutting method within seconds the widest choice of possibilities on the market.
- Available in 1.6 2.1 2.6 or 3.1m width
- Guaranteed ultra high precision 0.2mm accuracy
- Unbeaten quality and reliability for a safe investment 5 year warranty
- Quick and easy to use saves time and money
- Recommended for occasional use



HIGH PRECISION GUIDING SYSTEM

More reliability and less handling

- · Attaches or detaches from cutter in seconds
- · The accuracy of the guiding mechanism and the rigidity
- of the blade holder enable a precise control of the cutting position
- · Less mistake and waste

Sightline stripe on the entire length





→ QUIKSWAP TOOL HEADS



Double Graphik tool head

- Cuts adhesive vinyl, PVC banner, canvas, cardboard, PVC foamboard, foam centred board, corrugated plastic & paper, pop-up & roll-up materials... up to 13mm thick
- Two-way cutting with two individual blade holder
- Graphik blades are stronger and more stable than regular blades.



Rotary blade tool head for fabrics and thin material

- · Spring-loaded cutting wheel
- · Consistent pressure for reliable cutting
- · Cuts in both directions
- To cut fabrics and fragile material with a perfect edge
- To be used with a cutting mat



Creaser tool head

- For creasing cardboard and thick material
- Adjustable pressure depending on the thickness of the material
- · Delivered with 3 different blades to suit different materials

FreeHand are delivered as standard with the double Graphik blade tool head and a box of 100 Graphik blades. Other tool heads are available as an option.

- MATERIALS




FREEHAND



→ SAVES TIME AND MONEY

- · Better alignment means fewer mistakes and less waste
- Faster working for higher productivity

Silicon stripes To maintain and protect the material to be cut







DIMENSIONS

	E3FH110	E3FH160	E3FH210	E3FH260	E3FH310
Cut length (cm)	110	160	210	260	310
Net weight (kg)	8	10	11	12	14
Total length (mm)	1479	1979	2479	2979	3 479
Width of the cutter	155cm				
Made in the UK					

Find more information about this range at

www.kala.fr



We reserve the right to modify our models and equipment, as well as technical featur without prior notice. - KALA SAS - Pictures : ©Keencut